



TECHNICAL DATA

- (1) CABLE ACCESS DOOR FOR 600V/480V
- (2) FUEL TRANSFER PUMP
- (3) FUEL FILLER
- (4) CONTROL PANEL FOR THE FUEL TRANSFER SYSTEM
- (5) PERSONNEL ENTRANCE DOOR
- (6) AIR INLET
- (7) LIGHTS
- (8) 3516B ENGINE
- (9) MUFFLERS
- (10) EXHAUST
- (11) RADIATOR
- (12) AIR OUTLET
- (13) GENERATOR
- (14) OUTSIDE DOOR FOR THE FUEL FILLER (OPTION)
- (15) FUEL TANK
- (16) FUEL/WATER SEPARATORS
- (17) FIRE EXTINGUISHER
- (18) SWITCHGEAR
- (19) CIRCUIT BREAKER AND OUTLETS
- (20) BATTERIES
- (21) RADIATOR FAN
- (22) REAR DOORS

GENERATOR SET	POWER	VOLTAGE	CURRENT PRIME @ 0.8PF	CURRENT STBY @ 0.8PF	FREQUENCY	FUEL TANK CAPACITY	FUEL CONSUMPTION (75% LOAD)	FUEL CONSUMPTION (100% LOAD)
L.M.54-59	2000KW	600V/480V	2170A/2700A	2400A/3000A	60 HZ	4700 LITERS	378.1 L/HR	504.7 L/HR

1E2733 DRAWING-AUTOCAD  
 1E0011 INTRP & TDL  
 SPEC NO. NAME  
 DESIGNED BY  
 CHECKED BY  
 APPR. BY  
 SCALE  
 SHEET 1 DATE 01AUG06  
  
 INSTRUCTION-SWGR  
 600V/480V